



In re Application of:

KIM Conf. No.: 3947

Art Unit: Application No.: 10/069,783 1742

D. Valentine Filed: July 22, 2002 Examiner:

Title: APPARATUS FOR PREPARING STERILIZING WATER AND PROCESS FOR

STERILIZING WATER

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

MAIL STOP Issue Fee Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

This is a full and complete response to the Notice of Drawing Inconsistency With Specification mailed October 19, 2005. The one month or thirty day period for response was set to expire on November 19, 2005. Please charge any fee deficiencies or credit any overpayments to Deposit Account No. 14-0112.

In view of the following amendments and remarks, Applicant respectfully requests the U.S. Patent and Trademark Office to pass this application to issue.

Amendments to the Specification begin on page 2 of this paper.

Remarks begin on page 3 of this paper.

Attorney Docket No. 24914



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of:

KIM

Conf. No.: 3947

Application No.: 10/069,783

Art Unit: 1742

Filing Date: July 22, 2002

Examiner: D. Valentine

Title: APPARATUS FOR PREPARING STERILIZING WATER AND PROCESS FOR

STERILIZING WATER

TRANSMITTAL LETTER

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Submitted herewith for filing at the U.S. Patent and Trademark Office are the following:

1) Transmittal Letter; and

2) Response to Notice of Drawing Inconsistency With Specification.

The Commissioner is hereby authorized to charge any deficiency or credit any excess to Deposit Account No. 14-0112.

Respectfully submitted,

NATH & ASSOCIATES PLLC

November 15, 2005

NATH & ASSOCIATES PLLC 1030 15th Street, N.W. 6th Floor

Washington, D.C. 20005 Tel: (202) 775-8383

Fax: (202) 775-8396

Gary M. Wath

Reg. No. 26,965

Gregory B. Kang

Reg. No. 45,273

Teresa M. Arroyo

Reg. No. 50,015

Customer No. 20529